



new

Best Seller



FOODPRO PUROFORT MULTIGRIP SAFETY

Dunlop has introduced a new generation of *Purofort* boots for the Food Processing Industry.



new

Best Seller



Slip-resistant outsole(SRC) that can be used in varying slip environments; mainly the semi-solid contaminated areas. The outsole of the Multigrip is extra-dirt repellent just for that extra level of safety.

EN ISO 20345:2011 S4 CISRC



new

Best Seller

Extra smooth design and shaft: easy to clean.
Various colours available: preventing cross-contamination.
Anti-Bac Lining.



new

Best Seller



Specifically designed for orthopedic insole.
Gender Specific Design.
Purofort Technology: Light and Durable.

Code: CA61831 - Green
CA61631 - Blue
CA61131 - White
EA61231 - Yellow

Resistance: Minerals, animals, plant oils and fats, disinfectants, fertilizer, solvents, various chemicals.

Hydrogrip Safety Also Available

Code: CB61631 - Blue
CB61131 - White

The Hydrogrip is designed for use in wet contaminated areas.



Dunlop Protomastor Safety Code - 171BV

An ideal boot for general applications in the food processing industry.

Colour - White

Standard - EN ISO 20345:2011.SB.E.FO.SRA

Resistance - Minerals, animal and plant oils and fats, blood, disinfectants, fertilizer and various chemicals

new

Best Seller

Dunlop Protomastor Full Safety Code - 142VP

Feature a steel-tipped toe and steel midsole for impact and penetration protection.

Colour - Green

Standard - EN ISO 20345:2011.S5.SRA

Resistance - Minerals, animal and plant oils and fats, disinfectants and various chemicals



new

Best Seller



Dunlop Protomastor Full Safety Code - 142PP

A practical and functional safety boot with a steel toe and midsole for protection from sharp objects and toe injuries.

Colour - Black

Standard - EN ISO 20345:2011.S5.SRA

Resistance - Minerals, animal and plant oils and fats, disinfectants and various chemicals

new

Best Seller

Purofort Thermo+ Full Safety

Code C661843 Grn
C662343 Org

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals.

Standard - ENISO 20345:2011 S5 CI SRC



Purofort Professional Full Safety

Code - C462241

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals.

Standard - ENISO 20345:2011 S5 CI SRC



Acifort Heavy Duty Full Safety

Code - A442631

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer and various chemicals.

Standard - EN ISO 20345:2011.S5.SRC



Acifort Tricolour Full Safety

Code - A782631

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals.

Standard - EN ISO 20345:2011.S5.SRC



Acifort Classic Safety

Code - A681331

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals.

Standard - EN 20345:2011.SB.A.FO. SRC



SFC Red Sentinel PUBoot

Code - 2013

Lightweight boot: 20% lighter than rubber or PVC. Lasts 3 times longer than PVC. High slip resistant outsole profile. Resistant to acids, oils, fats and chemical products

Standard - EN20345 S4






**Protomaster
Thigh Wader
Full Safety**
Code -
142VP.PP

Protective Toe &
Midsole

Standard - EN ISO
20345:2011.S5.
SRC



**Protomaster Chest
Wader
Full Safety**
Code - 142VP.PT

Protective Toe &
Midsole

Standard - EN ISO
20345:2011.S5.SRC



**Purofort Rig Air
Brown**
Code C462743
Not Fur Lined
C462743.FL
Fur Lined

Protective Toe &
Midsole
Standard - EN ISO
20345:2011 S5 CI SRC



**Purofort+ Rugged
Full Safety**
Code - C762043.CH

Protective Toe &
Midsole

Standard - EN ISO
20345:2011 S5
CI SRC



**Purofort
Professional
Full Safety**
Code - C462933

Protective Toe &
Midsole

Standard - EN
ISO 20345:2011
S5
CI SRA



**Purofort+
Full Safety**
Code - C762933

Protective Toe &
Midsole

Standard - EN
ISO 20345:2011
S5
CI SRC

Wellingtons

Soft Toe



←
Dunlop Dane SoftToe
Code - K680211



←
Dunlop Pricemaster
Code - 380BV

Resistance: minerals, animal and plant oils and fats, blood, disinfectants, fertilizer and various chemicals
Standard - CE

→
Dunlop Pricemastor
Code - 380VP

Resistance: minerals, animal and plant oils and fats, blood, disinfectants, fertilizer and various chemicals
Standard - CE



← **Best Seller**
Dunlop Purofort Professional
Code - D460933

Standard - EN ISO 20347:2012 O4 FO CI SRC

Resistance - Minerals, animals and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals

←
Dunlop Purofort +
Code - D760933

Resistance - Minerals, animals and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals
Standard - EN ISO 20347:2012 O4 FO CI SRC



↓
Dunlop Wellie Shoe Code - B370411

Resistance - Minerals, animals and plant oils and fats, disinfectants, fertilizer, and various chemicals. Low concentration acids and bases.
Standard - CE



new



DUNLOP OUTDOOR PERFORMANCE RANGE

These wellingtons are part of the prestigious Outdoor Performance range developed by Dunlop. The outdoor performance range includes only high performance wellingtons made using Dunlop's Purofort technology.

Dunlop Purofort Islay

← Code - P181433

Features of this wellington:

- Outstanding Fit.
- Warm in winter, cool in summer conditions.
- Tear and wear resistant.
- Premium Insole.
- Quality leather finish.
- Superb aesthetics.

Dunlop Purofort Sanday

Code - P183453

Features of this wellington:

- Tie Top with laces for adjustable fit.
- Warm in winter, cool in summer conditions.
- Tear and wear resistant.
- Premium Insole.
- Quality leather finish.



new

