



FOODPRO PUROFORT MULTIGRIP SAFETY

Dunlop has introduced a new generation of *Purofort* boots for the Food Processing Industry.



Slip-resistant outsole(SRC) that can be used in varying slip environments; mainly the semi-solid contaminated areas. The outsole of the Multigrip is extra-dirt repellent just for that extra level of safety.

EN ISO 20345:2011 S4 CISRC



Extra smooth design and shaft: easy to clean.
Various colours available: preventing cross-contamination. Anti-Bac Lining.



Specifically designed for orthopedic insole. Gender Specific Design. Purofort Technology: Light and Durable.

- Code: CA61831 - Green
- CA61631 - Blue
- CA61131 - White
- EA61231 - Yellow

Resistance: Minerals, animals, plant oils and fats, disinfectants, fertilizer, solvents, various chemicals.

Hydrogrip Safety Also Available

- Code: CB61631 - Blue
- CB61131 - White

The Hydrogrip is designed for use in wet contaminated areas.

Dunlop Protomastor Safety

Code - 171BV

An ideal boot for general applications in the food processing industry.

Colour - White

Standard - EN ISO 20345:2011.SB.E.FO.SRA

Resistance - Minerals, animal and plant oils and fats, blood, disinfectants, fertilizer and various chemicals



new

Best Seller

Dunlop Protomastor Full Safety

Code - 142VP

Feature a steel-tipped toe and steel midsole for impact and penetration protection.

Colour - Green

Standard - EN ISO 20345:2011.S5.SRA

Resistance - Minerals, animal and plant oils and fats, disinfectants and various chemicals



new

Best Seller

Dunlop Protomastor Full Safety

Code - 142PP

A practical and functional safety boot with a steel toe and midsole for protection from sharp objects and toe injuries.

Colour - Black

Standard - EN ISO 20345:2011.S5.SRA

Resistance - Minerals, animal and plant oils and fats, disinfectants and various chemicals



new

Best Seller

Purofort Thermo+ Full Safety

Code C661843 Grn
C662343 Org

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals.

Standard - ENISO 20345:2011 S5 CI SRC



Best Seller



new

Purofort Professional Full Safety

Code - C462241

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals.

Standard - ENISO 20345:2011 S5 CI SRC



Acifort Heavy Duty Full Safety

Code - A442631

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer and various chemicals.

Standard - EN ISO 20345:2011.S5.SRC



Acifort Tricolour Full Safety

Code - A782631

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals.

Standard - EN ISO 20345:2011.S5.SRC



Acifort Classic Safety

Code - A681331

Resistance - Minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals.

Standard - EN 20345:2011.SB.A.FO. SRC



SFC Red Sentinel PUBoot

Code - Red 2013
Yellow 2014

Lightweight boot: 20% lighter than rubber or PVC. Lasts 3 times longer than PVC. High slip resistant outsole profile. Resistant to acids, oils, fats and chemical products

Standard - EN20345 S4



Acifort Classic Safety+

Code - A181331

Smooth shaft and improved slip resistance. SRC Rated.





Protomaster Thigh Wader Full Safety

Code - 142VP.PP

Protective Toe & Midsole



Standard - EN ISO 20345:2011.S5.SRC



Protomaster Chest Wader Full Safety

Code - 142VP.PT

Protective Toe & Midsole

Standard - EN ISO 20345:2011.S5.SRC



Purofort Rig Air Brown

Code C462743 Not Fur Lined
C462743.FL Fur Lined

Protective Toe & Midsole
Standard - EN ISO 20345:2011 S5 CI SRC



Purofort+ Rugged Full Safety

Code - C762043.CH

Protective Toe & Midsole

Standard - EN ISO 20345:2011 S5 CI SRC



Purofort Professional Full Safety

Code - C462933

Protective Toe & Midsole

Standard - EN ISO 20345:2011 S5 CI SRA



Purofort+ Full Safety

Code - C762933

Protective Toe & Midsole

Standard - EN ISO 20345:2011 S5 CI SRC

Wellingtons

Soft Toe



←
Dunlop Dane SoftToe
 Code - K680211



←
Dunlop Pricemaster
 Code - 380BV

Resistance: minerals, animal and plant oils and fats, blood, disinfectants, fertilizer and various chemicals
Standard - CE

→
Dunlop Pricemaster
 Code - 380VP

Resistance: minerals, animal and plant oils and fats, blood, disinfectants, fertilizer and various chemicals
Standard - CE



← **Best Seller**
Dunlop Purofort Professional
 Code - D460933

Standard - EN ISO 20347:2012 O4 FO CI SRC

Resistance - Minerals, animals and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals

←
Dunlop Purofort +
 Code - D760933
 Resistance - Minerals, animals and plant oils and fats, disinfectants, fertilizer, solvents and various chemicals
Standard - EN ISO 20347:2012 O4 FO CI SRC



Dunlop Wellie Shoe Code - B370411 ↓

Resistance - Minerals, animals and plant oils and fats, disinfectants, fertilizer, and various chemicals. Low concentration acids and bases.
Standard - CE



DUNLOP OUTDOOR PERFORMANCE RANGE

These wellingtons are part of the prestigious Outdoor Performance range developed by Dunlop. The outdoor performance range includes only high performance wellingtons made using Dunlop's Purofort technology.



Dunlop Purofort Islay

Code - P181433

Features of this wellington:

- Outstanding Fit.
- Warm in winter, cool in summer conditions.
- Tear and wear resistant.
- Premium Insole.
- Quality leather finish.
- Superb aesthetics.



Dunlop Purofort Sanday

Code - P183453

Features of this wellington:

- Tie Top with laces for adjustable fit.
- Warm in winter, cool in summer conditions.
- Tear and wear resistant.
- Premium Insole.
- Quality leather finish.

pedag
INTERNATIONAL

new

Alu Astro Thermal Insoles
Code - 1172

ALU ASTRO regulates the temperature inside the shoe: the reflecting aluminium layer protects from water, the high-tech foam situated in the intermediate layer of our winter insole effectively insulates from the cold of the ground. The surface is equipped with a special functional fibre that quickly absorbs the moisture produced by the foot and keeps it pleasantly warm. ALU ASTRO is additionally equipped with an activated carbon filter that effectively stops foot odour.

ALU ASTRO
Thermo-Sohle
3-fach Wärme-Schutz
kälte-isolierend,
geruchsbindend

Thermo insole
3-way temperature regulation,
insulating,
inhibits odors

Semelle thermique
triple protection thermique,
isole du froid,
absorbe les odeurs

Comfort ●●●○
Odor Stop/Hygiene ●●●○
Clima Control ●●●●