

# Safety Eyewear - Glasses

# uvex.

## uvex i-3



**9190.275**  
EN166 1F KN CE  
Anthracite/Blue  
Lens: Clear  
Coating: uvex supravision  
NCH

5  
160



**9190.220**  
EN166 1F KN CE  
Anthracite/Yellow  
Lens: Amber  
Coating: uvex supravision  
NCH

5  
160



**9190.286**  
EN166 1F KN CE. EN172  
Graphine/Red  
Lens: Grey Sunglare  
Coating: uvex supravision  
NCH

5  
160

## uvex i-vo



**9160.520**  
EN166 1F KN CE  
Blue/Orange  
Lens: Amber  
Coating: uvex optidur NCH

5  
200



**9160.068**  
EN166 1F K CE. EN172  
Blue/Orange  
Lens: Brown Sunglare  
Coating: uvex optidur NCH

5  
200



**9160.275**  
EN166 1F KN CE  
Black/Grey  
Lens: Clear  
Coating:  
uvex supravision HC-AF

5  
200

## uvex i-3 add with prescription power



**6108.210**  
EN166 F KN CE  
Prescription 1.0 dpt  
Grey/Lime  
Lens: Clear  
Coating: uvex supravision  
HC-AF

1  
1



**6108.211**  
EN166 F KN CE  
Prescription 2.0 dpt  
Grey/Lime  
Lens: Clear  
Coating: uvex supravision  
HC-AF

1  
1



# Safety Eyewear - Glasses **uvex**

## uvex super fit



**9178.386**  
EN166 1F KN CE. EN172  
Black  
Lens: Grey Sunglare  
Coating: uvex supervision  
performance

5  
200



**9178.385**  
EN166 1F KN CE  
Black  
Lens: Amber  
Coating: uvex supervision  
performance

5  
200



**9178.185**  
EN166 1F KN CE. EN172  
Black  
Lens: Clear  
Coating: uvex optidur 4C  
PLUS

5  
200



**9178.881**  
EN166 1F K CE. EN172  
Black  
Lens: Grey Silver Mirror  
(indoor/outdoor lens)  
Coating: uvex optidur NCH

5  
200

## uvex super fit variomatic - light reactive lens



**9178.855**  
EN166 1F CE  
Black/Orange  
Lens: Laser Gold Lite  
Coating: Scratch resistant

1  
80

## uvex winner




**9159.105**  
EN166 1F CE  
Gun Metal  
Lens: Clear  
Coating: Scratch resistant  
anti fog

5  
150



**9159.118**  
EN166 1F CE. EN172  
Gun Metal  
Lens: Grey Sunglare  
Coating: Scratch resistant  
anti fog

5  
200



# Safety Eyewear - Glasses

# uvex.

## uvex pheos



Best Seller

**9192.225**  
 EN166 1F KN CE  
 Black/Lime Green  
 Lens: Clear  
 Coating: uvex supravision  
 HC-AF

5  
160



**9192.285**  
 EN166 1F KN CE. EN172  
 Black/Grey  
 Lens: Grey Sunglare  
 Coating: uvex supravision  
 HC-AF

5  
160



## uvex pheos

Best Seller



**9192.385**  
 EN166 1F KN CE  
 Black/Yellow  
 Lens: Amber  
 Coating: uvex supravision  
 HC-AF

5  
160

uvex pheos  
 is our most  
 popular model  
 in safety  
 eyewear



**9192.881**  
 EN166 1F KN CE. EN172  
 Light Grey/Grey  
 Lens: Silver Mirror  
 Indoor/outdoor lens  
 Coating: Anti-fog on the  
 inside

5  
160

## uvex skyguard NT



**9175.260**  
 EN166 1F 34 KN CE  
 Blue/Grey  
 Lens: Clear  
 Coating: uvex supravision  
 HC-AF

5  
160



**9175.261**  
 EN166 1F 34 KN CE.  
 EN172  
 Blue/Grey  
 Lens: Grey Sunglare  
 Coating: uvex supravision  
 HC-AF

5  
160



**9175.275**  
 EN166 1F 34 KN CE  
 Orange/Grey  
 Lens: Clear  
 Coating: uvex supravision  
 HC-AF

5  
160

## uvex super OTG

Unique over spec. Side arms graduate from hard to soft material for increased wearer comfort



**9169.260**  
 EN166 1F KN CE  
 Blue  
 Lens: Clear  
 Coating: uvex supravision  
 HC-AF

5  
160

# Safety Eyewear - Goggles **uvex**

## uvex ultravision



Best Seller

**9301.105**  
EN166 1B 349 KN CE  
Transparent Grey  
Lens: Clear PC lens  
Coating: uvex supravision  
HC-AF

1  
90

## uvex carbonvision



**9307.375**  
EN166 1B 34 KN CE  
Black/Grey  
Lens: Clear  
Coating: uvex supravision  
extreme

5  
160

## uvex faceguard



**9301.318**  
Uvex flip up faceshield  
Transparent Grey  
Lens: Transparent  
polycarbonate lower  
face shield  
Coating: uncoated

1  
18

\* Goggles Sold separately

## uvex ultrasonic



**9302.245**  
EN166 1B 349 KN CE  
Orange/Grey  
Lens: Clear  
Coating: uvex supravision  
HC-AF

Best Seller

5  
160

## uvex ultravision welding



**9301.245**  
EN166 1F KN CE EN169  
Black  
Lens: Green welding  
shade 5  
Coating: uvex supravision  
HC-AF/infadur PLUS

1  
90

## Lens Cleaning Station



**9990.000**  
Complete cleaning station  
- can be wall mounted  
Blue

1  
1

## uvex ultrasonic welding



**9302.043**  
EN166 1B 9 KN CE  
EN169, EN172  
Black/Green  
Lens: Grey welding  
shade 3  
Coating: uvex infradur AF  
(spatter resistant/anti-fog)

4  
72



**9302.045**  
EN166 1B 9 KN CE  
EN169, EN172  
Black/Green  
Lens: Grey welding  
shade 5  
Coating: uvex infradur AF  
(spatter resistant/anti-fog)

4  
72



**9991.000**  
Replacement cleaning  
tissues for 9990.000 lens  
cleaning station - 450  
sheets per box. 9990.000  
station can hold 2 boxes.  
Blue Box. White tissues.

1  
36



**9972.101**  
Replacement cleaning fluid  
for 9990.000 lens cleaning  
station 0 16 fl.oz. bottle.  
White Bottle. Clear fluid.

1  
9



## Did you know that 1 in 4 people need corrective eyewear?

If you have a requirement for safety eyewear then it's more than likely that you have the requirement for prescription safety glasses too - the two go hand in hand.

### What are the benefits?

- Personal prescription eyewear won't get damaged at work
- Lens materials can be chosen based on the working environment for increased wearer safety
- Scratch resistant lens coatings are supplied as standard
- Frames from uvex come with a 2 year guarantee for accidental damage and wear and tear

uvex, is able to offer a prescription service to suit your needs whether you are a large or small organisation, in one or multiple locations.

**Ask our sales team for more details.**

## Hang Cords & Cases



9954.500

25  
250

Zipper spectacle pouch complete with velcro belt loops.

Black



9954.550

20  
-

Polyester draw string spectacle bag.

Grey



9192.001

20  
200

Foam seal for the uvex pheos spectacle creates a closer fit to further protect from particle ingress.

Black



9958.020

10  
-

uvex pheos headstrap. Can be added to uvex pheos spectacle and suitable for working at height or in confined spaces. Also aids compatibility with other items of PPE.

Black

## TESTING EXPERTISE

uvex develops and manufactures safety products that meet the highest standards in terms of quality, functionality and wearability in its own European production facilities and in close collaboration with leading external institutes.



# Face & Eye Protection



## Safety Spectacles



**Stealth Hybrid™** ASA450-151-102

Stealth Hybrid™ offers eye protection in the form of a safety spectacle as well as safety goggles. With side arms attached the Stealth Hybrid™ is a safety spectacle providing protection to 1F standard and with the strap attached it is a safety goggle providing protection to the 1B standard. Both offer protection from UV, as well as increased dust and airborne particles compared with a standard safety spectacle.

**Z4000™ Clear Anti-Mist Spectacles with Cord**  
ASA440-151-300

The Z4000™ is a clear framed spectacle with an Anti-Mist HC Lens. An exceptionally lightweight sports style safety spectacle, with a wraparound Polycarbonate lens with UV protection and an integrated nose-bridge. The Z4000™ includes a simple to attach/detach spectacle cord for convenience and prevention of misplacement.



**Stealth 7000** ASA430-021-300

Contour design and flexibility of frame gives a good versatile fit onto both smaller and larger faces. Extremely light and comfortable, Stealth7000 safety spectacle has been tested and approved to EN166 1.F.T (K or N ) protection together with EN170 - UV Ultra Violet ray filters or EN172 - Sun filters for industrial use.



*Stealth 8000 Yellow*



*Stealth 8000 Smoke*



*Stealth 8000 Clear*



*Stealth 8000 In-Out*

**Stealth 8000**  
ASA790-151-300

A lightweight safety spectacle, weighing just 26g, the wraparound 9 base curve polycarbonate lens has a built in adjustable PVC nose piece for added comfort and stability. Low profile tension control temples provide extra grip and are suitable for use with hearing protection. The temple tips have a spectacle cord anchor point for further practicality. UVA, UVB and UVC protection. EN166 1.F.K

# Face & Eye Protection



## Safety Spectacles / Goggles

### Overspec – M9300 ASD028-261-300

Extended impact protection spectacles, deeper box style extended wraparound single polycarbonate lens and temples. Suitable for use over prescription (Rx) eye-wear. Conforms to EN166.1.F



### Atlantic™ IV Polycarb Lens Anti-Mist Dust Liquid and Molten Metal Goggle AGN020-441-300

The deluxe anti-mist Atlantic™, wide angle goggle features a wide elastic headband for improved comfort. Moulded-in ventilation for dust liquid, molten metal and hot solid protection. Conforms to EN166.1.B.3.4.9

### Martcare® M9200 Visispec™ Spectacle Clear Lens ASD020-121-300

A good all round safety spectacle giving excellent value for money. Clear Polycarbonate lens and temples. Design doubles as a visitor spectacle. Conforms to EN 166.1.F



### EVO IDV Goggle Anti-Mist Anti-Scratch Lens MistResist+™

AGM020-623-000  
The EVO Goggle™ spherical lens goggle has been designed to offer a high degree of comfort for long periods where there is a significant risk of high speed particles striking the wearer in the eye. The goggle will resist the impact of a 6mm (¼") steel ball fired at 270mph (430kph) at the lens. Also protects the wearer from molten metal splash, liquid droplets and dust particles. Conforms to EN166.1.B.3.4.9 and ANSI Z87.1

### Martcare® M9100 Wraparound™ Spectacle Clear Lens HC ASA240-021-10

A compact and lightweight goggle. Tough Polycarbonate lens offers high resistance to impact from flying particles. Vented body, cost effective, PVC frame, polycarbonate lens. Conforms to EN166.1.B



### Impact Goggle AGC010-301-300

A compact and lightweight goggle. Tough Polycarbonate lens offers high resistance to impact from flying particles. Vented body, cost effective, PVC frame, polycarbonate lens. Conforms to EN166.1.B



# Face & Eye Protection



## Face Shields

Best Seller



**Martcare® Faceshield** AFM061-230-400

Browguard with grey/unbound polycarbonate visor and elasticated headband. Conforms to EN 166.1.B.3.99



**Bushmaster™ Classic Extreme Ear Defender c/w 20cm Wire Gauze Visor**

• Unit with mesh visor AFZ101-131-100

The forestry unit from JSP is designed for maximum comfort and optimum protection for users where head protection (safety helmets) is not mandatory. Designed in-house by our Research and Development Department, the Bushmaster™ combines the high protection factor ear defenders, JSP Classic Extreme, with a wire mesh visor.

Ear Defender SNR=30 Ear-Defender conforms to EN 352-1 SNR 30. Visor conforms to EN1731



**Invincible® Black Browguard Polycarb Bound (8"/20cm)** AFA061-131-100

A browguard with aluminium edged polycarbonate visor for impact protection. Wheel ratchet adjustable head harness. Conforms to EN 166.1.B.3.9

**Invincible® Yellow Browguard Acetate Bound (8"/20cm)** AFA011-130-200

A browguard with aluminium edged polycarbonate visor for impact protection. Wheel ratchet adjustable head harness. Conforms to EN 166.1.B.3.9



# Face & Eye Protection



## Welding Protection

### Flip Up Gas Weld

Green AGF032-100-600

Red AGL032-100-300

Classic flip up welding goggle



### Welding Goggle AGA032-101-300

Gas welding shade 5 goggle conforms to EN 166.B.3.4, EN169 shade 5 and EN175.



### Panoweld Shade 5 G-PANOWELD

Panoramic vision, indirect vent shade 5 goggle with soft comfort frame and wide, elasticated adjustable headband. CE approved to EN 175



### Itex Fibreglass Handshield G-D580201

Industry Standard fibreglass handshield. 108mm x 83mm lens. CE approved to BS 1542



### Itex Fibreglass Headshield G-D579901

Industry standard fibreglass headshield for the welding professional. 108mm x 83mm lens

### Cobra Welding, Grinding Faceshield

- Welding visor AFD230-001-100
- Welding visor with integrated grinding visor AFL230-001-100

Engineered and built to exacting standards, the new Cobra welding visor is constructed to a very high specification from engineering grade nylon 66. Cobra has been designed with the user firmly in mind and has many unique features, which does not only increase user safety but comfort as well.

1. high performance engineering nylon shield
2. quick change anti-spatter screen
3. 5point wearing angle adjustment

